


| | | |
|--|--|---------------------------|
|  | | Page: 1 |
| SAFETY DATA SHEET | | Revision Date: 10/19/2022 |
| | | Print Date: 01/17/2023 |
| | | SDS Number: R1600428 |
| POOL BREEZE POOL CARE SYSTEM CHLORINATING GRANULES | | Version: 1.0 |
| 227395 | | |

SECTION 1. IDENTIFICATION

Product identifier

Trade name : POOL BREEZE POOL CARE SYSTEM CHLORINATING GRANULES

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Pesticide

| | |
|--|---|
| Details of the supplier of the safety data sheet Innovative Water Care, LLC 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States of America (USA) EHSPProductSafetyTeam@solenis.com | Emergency telephone number 1-800-654-6911 (Outside the USA:1-423-780-2970) Product Information 1-800-511-6737 (Outside the USA:1-423-780-2347) |
|--|---|

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4
 Eye irritation : Category 2A
 Specific target organ toxicity : Category 3 (Respiratory system)
 - single exposure

GHS label elements


Hazard pictograms :



Signal word : Warning

Hazard statements : H302 Harmful if swallowed.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

Precautionary statements : **Prevention:**

| | | |
|--|--|---------------------------|
|  | | Page: 2 |
| SAFETY DATA SHEET | | Revision Date: 10/19/2022 |
| | | Print Date: 01/17/2023 |
| | | SDS Number: R1600428 |
| POOL BREEZE POOL CARE SYSTEM CHLORINATING GRANULES | | Version: 1.0 |
| 227395 | | |

P261 Avoid breathing dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Classification | Concentration (%) |
|------------------------------|------------|--|-------------------|
| Troclosene sodium, dihydrate | 51580-86-0 | Acute Tox. 4; H302 Eye Irrit. 2A; H319 STOT SE 3; H335 | >= 90 - <= 100 |

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES


General advice : Move out of dangerous area.
Call a POISON CENTRE or doctor/physician if exposed or you feel unwell.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

| | |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 10/19/2022 |
| | Print Date: 01/17/2023 |
| | SDS Number: R1600428 |
| POOL BREEZE POOL CARE SYSTEM CHLORINATING GRANULES 227395 | Version: 1.0 |

- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
- If swallowed : IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
Causes serious eye irritation.
May cause respiratory irritation.
Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)
Cough
- Notes to physician : Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : hydrogen chloride
Sodium oxides
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must

| | |
|--|---------------------------|
|  | Page: 4 |
| SAFETY DATA SHEET | Revision Date: 10/19/2022 |
| | Print Date: 01/17/2023 |
| | SDS Number: R1600428 |
| POOL BREEZE POOL CARE SYSTEM CHLORINATING GRANULES 227395 | Version: 1.0 |

be disposed of in accordance with local regulations.


Special protective equipment : In the event of fire, wear self-contained breathing apparatus.
for firefighters

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Avoid dust formation.
Avoid breathing dust.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.
Take measures to prevent the build up of electrostatic charge.
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid dust formation.
Provide sufficient air exchange and/or exhaust in work rooms.
Do not breathe vapours/dust.
Do not smoke.
Container hazardous when empty.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

| | | |
|--|--|---------------------------|
|  | | Page: 5 |
| SAFETY DATA SHEET | | Revision Date: 10/19/2022 |
| | | Print Date: 01/17/2023 |
| | | SDS Number: R1600428 |
| POOL BREEZE POOL CARE SYSTEM CHLORINATING GRANULES 227395 | | Version: 1.0 |

Further information on storage stability : Keep in a dry place.
 No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Provide appropriate exhaust ventilation at places where dust is formed.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
 Dust safety masks are recommended when the dust concentration is more than 10 mg/m³.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.


Skin and body protection : Wear as appropriate:
 Safety shoes
 Dust impervious protective suit
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
 Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : Avoid breathing dust.
 Wash hands before breaks and at the end of workday.
 When using do not eat or drink.
 When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : crystalline

Colour : white

| | |
|--|---------------------------|
|  | Page: 6 |
| SAFETY DATA SHEET | Revision Date: 10/19/2022 |
| | Print Date: 01/17/2023 |
| | SDS Number: R1600428 |
| POOL BREEZE POOL CARE SYSTEM CHLORINATING GRANULES 227395 | Version: 1.0 |

Odour : mild

 Odour Threshold : No data available

 pH : 5.5 - 7.0
 Concentration: 10 g/l
 (aqueous suspension)

 Melting point/freezing point : 464 - 482 °F / 240 - 250 °C

 Initial boiling point and boiling range : Not applicable

 Flash point : No data available

 Evaporation rate : Not applicable

 Flammability (solid, gas) : Not combustible Dust

 Self-ignition : No data available

 Upper explosion limit / Upper flammability limit : No data available

 Lower explosion limit / Lower flammability limit : No data available

 Vapour pressure : Not applicable

 Relative vapour density : No data available

 Relative density : No data available

 Density : No data available

 Solubility(ies)
 Water solubility : soluble


 Solubility in other solvents : No data available

 Partition coefficient: n-octanol/water : No data available

 Decomposition temperature : No data available

 Viscosity
 Viscosity, dynamic : No data available

 Viscosity, kinematic : No data available

| | | |
|--|--|---------------------------|
|  | | Page: 7 |
| SAFETY DATA SHEET | | Revision Date: 10/19/2022 |
| | | Print Date: 01/17/2023 |
| | | SDS Number: R1600428 |
| POOL BREEZE POOL CARE SYSTEM CHLORINATING GRANULES 227395 | | Version: 1.0 |

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.
NFPA Oxidizer Class: Meets the criteria of an NFPA Class 1 Oxidizer.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition sources.

Incompatible materials : Acids
Ammonium salts
Combustible material
Flammable materials
Oxidizing agents

Hazardous decomposition products : Carbon monoxide
Chlorine
nitrogen chloride
Hydrogen chloride gas
Sodium oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Components:

Troclosene sodium, dihydrate:

Acute oral toxicity : LD50 (Rat): 1,671 mg/kg
GLP: yes


Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
GLP: yes

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : May cause skin irritation in susceptible persons.

| | |
|--|---------------------------|
|  | Page: 8 |
| SAFETY DATA SHEET | Revision Date: 10/19/2022 |
| | Print Date: 01/17/2023 |
| | SDS Number: R1600428 |
| POOL BREEZE POOL CARE SYSTEM CHLORINATING GRANULES 227395 | Version: 1.0 |

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : Product dust may be irritating to eyes, skin and respiratory system.
Causes serious eye irritation.

Components:

Troclosene sodium, dihydrate:

Species : Rabbit
Result : Eye irritation
GLP : yes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.


STOT - single exposure

May cause respiratory irritation.

Components:

Troclosene sodium, dihydrate:

Exposure routes : Inhalation
Target Organs : Respiratory Tract
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

| | | |
|--|--|---------------------------|
|  | | Page: 9 |
| SAFETY DATA SHEET | | Revision Date: 10/19/2022 |
| | | Print Date: 01/17/2023 |
| | | SDS Number: R1600428 |
| POOL BREEZE POOL CARE SYSTEM CHLORINATING GRANULES 227395 | | Version: 1.0 |

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 1; Very toxic to aquatic life.

Chronic aquatic toxicity : Chronic aquatic toxicity Category 1; Very toxic to aquatic life with long lasting effects.

Components:

Troclosene sodium, dihydrate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.23 mg/l
 Exposure time: 96 h
 Test Type: static test
 GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.17 mg/l
 Exposure time: 48 h
 Test Type: static test
 GLP: yes

Persistence and degradability

Components:

Troclosene sodium, dihydrate:


Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

Troclosene sodium, dihydrate:

Partition coefficient: n-octanol/water : log Pow: ca. -0.006

| | | |
|--|--|---------------------------|
|  | | Page: 10 |
| SAFETY DATA SHEET | | Revision Date: 10/19/2022 |
| | | Print Date: 01/17/2023 |
| | | SDS Number: R1600428 |
| POOL BREEZE POOL CARE SYSTEM CHLORINATING GRANULES | | Version: 1.0 |
| 227395 | | |

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.


National Regulations

49 CFR

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

| | | |
|--|--|---------------------------|
|  | | Page: 11 |
| SAFETY DATA SHEET | | Revision Date: 10/19/2022 |
| | | Print Date: 01/17/2023 |
| | | SDS Number: R1600428 |
| POOL BREEZE POOL CARE SYSTEM CHLORINATING GRANULES | | Version: 1.0 |
| 227395 | | |

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.
 49CFR: Material is not regulated for ground transportation within the US if shipped in non-bulk packages. Material is not regulated as a marine pollutant for ground transportation within the US if shipped in non-bulk packages (reference 49CFR 171.4(c)).

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
 Serious eye damage or eye irritation
 Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

troclosene sodium, dihydrate 51580-86-0

Pennsylvania Right To Know

troclosene sodium, dihydrate 51580-86-0

New Jersey Right To Know


troclosene sodium, dihydrate 51580-86-0
 SODIUM CHLORIDE 7647-14-5

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory
 TSCA : All substances listed as active on the TSCA inventory
 AIIC : On the inventory, or in compliance with the inventory
 DSL : All components of this product are on the Canadian DSL
 ENCS : On the inventory, or in compliance with the inventory

| | | |
|--|--|---------------------------|
|  | | Page: 12 |
| SAFETY DATA SHEET | | Revision Date: 10/19/2022 |
| | | Print Date: 01/17/2023 |
| | | SDS Number: R1600428 |
| POOL BREEZE POOL CARE SYSTEM CHLORINATING GRANULES | | Version: 1.0 |
| 227395 | | |

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Biocides

EPA Reg. # 1258-984

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Danger, Corrosive., Causes irreversible eye damage., May be fatal if inhaled., Harmful if swallowed or absorbed through the skin.

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 10/19/2022


Full text of H-Statements

H302 : Harmful if swallowed.
H319 : Causes serious eye irritation.
H335 : May cause respiratory irritation.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Eye Irrit. : Eye irritation
STOT SE : Specific target organ toxicity - single exposure

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide;

| | |
|--|---------------------------|
|  | Page: 13 |
| SAFETY DATA SHEET | Revision Date: 10/19/2022 |
| | Print Date: 01/17/2023 |
| | SDS Number: R1600428 |
| POOL BREEZE POOL CARE SYSTEM CHLORINATING GRANULES 227395 | Version: 1.0 |

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN